

L Number	Hits	Search Text	DB	Time stamp
1	2	("20030115167").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:29
2	70	(legacy and computer).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:30
3	0	((legacy and computer).ti.) and screen near5 field same (identify\$4 determin\$4 creat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:31
4	0	((legacy and computer).ti.) and screen near5 field and (identify\$4 determin\$4 creat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:32
5	1	((legacy and computer).ti.) and screen with field and (identify\$4 determin\$4 creat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:33
6	1	((legacy and computer).ti.) and screen with (object field) and (identify\$4 determin\$4 creat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:33
7	8	legacy.ti. and screen near5 (object field) same (identify\$4 determin\$4 creat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:39
8	0	OBTAINING with DATA with FROM with LEGACY with COMPUTER with SYSTEMS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:40
9	866	OBTAINING with DATA same h FROM with LEGACY with COMPUTER	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:40
10	0	OBTAINING with DATA same FROM with LEGACY with COMPUTER	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:40
11	3	OBTAINING with DATA same LEGACY with COMPUTER	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:44
12	1362	kirkpatrick.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:44

13	1	kirkpatrick.in. and legacy with systems	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:45
14	3	screen near5 field and screen near5 object and obtain\$4 with (data information) same legacy with systems	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:53
15	9	legacy near3 (computer systems) and screen near5 (id name identifier) and screen near5 ( field row column) with (position location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:00
16	2	legacy near3 (computer systems) and screen near5 (id name identifier) and screen near5 field and (row column) near5 (position location) and screen near5 object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:47
17	2	legacy near3 (comput\$4 systems) and screen near5 (id name identifier) and screen near5 field and (row column) near5 (position location) and screen near5 object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:12
18	2	legacy with (comput\$4 systems) and screen near5 (id name identifier) and screen near5 field and (row column) near5 (position location) and screen near5 object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:14
19	0	legacy with (comput\$4 systems) and "3270" near3 terminal and screen near5 field and (row column) near5 (position location) and screen near5 object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:15
20	10	legacy with (comput\$4 systems) and "3270" near3 terminal and screen near5 field and (row column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:15
21	11	legacy with (comput\$4 systems) and "3270" near3 terminal and screen near5 (field object) and (row column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:22
22	1	legacy with (comput\$4 systems) and (access\$4 obtain\$4) with data with screen near5 field near5 ( location position) and "3270" near3 terminal and (row column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:25
23	3	legacy with (comput\$4 systems) and (access\$4 obtain\$4) same screen near5 field near5 ( location position) and "3270" near3 terminal and (row column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:30
24	5	legacy with (comput\$4 systems) and (access\$4 obtain\$4) and receiv\$4 and send\$4 and configur\$7 and screen near5 field near5 ( location position) and "3270" near3 terminal and (row column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:41
25	5	legacy with (comput\$4 systems) and screen near4 field with configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:47

26	38	legacy with (comput\$4 systems) and screen near4 field with (file database configur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:47
27	8	( legacy with (comput\$4 systems) and screen near4 field with (file database configur\$5)) and row and column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:50
28	10	( legacy with (comput\$4 systems) and screen near4 field with (file database configur\$5)) and field near4 (row column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:51
29	82	legacy near3 (comput\$4 systems) and (obtain\$4 access\$4 display\$4 interact\$4) same screen near4 field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:53
30	117854	( legacy near3 (comput\$4 systems) and (obtain\$4 access\$4 display\$4 interact\$4) same screen near4 field ) a and data near structure and config\$6 same stor\$4 field with (identifiers name parameters coordinat4 locations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:57
31	106644	( legacy near3 (comput\$4 systems) and (obtain\$4 access\$4 display\$4 interact\$4) same screen near4 field ) and data near structure and config\$6 same stor\$4 field with (identifiers name parameters coordinat4 locations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:57
32	0	( legacy near3 (comput\$4 systems) and (obtain\$4 access\$4 display\$4 interact\$4) same screen near4 field ) and data near structure and config\$6 same stor\$4 with field with (identifiers name parameters coordinat4 locations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:57
33	2	( legacy near3 (comput\$4 systems) and (obtain\$4 access\$4 display\$4 interact\$4) same screen near4 field ) and data near5 structure and config\$6 same stor\$4 with field with (identifiers name parameters coordinat4 locations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:03
34	3	( legacy near3 (comput\$4 systems) and (obtain\$4 access\$4 display\$4 interact\$4) same screen near4 field ) and data near5 structure and (config\$6 file table ) with stor\$4 with field with (identifiers name parameters coordinat4 locations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:05
35	0	( legacy near3 (comput\$4 systems) and (obtain\$4 access\$4 display\$4 interact\$4) same screen near4 field ) and updat\$4 same (config\$6 file table ) with stor\$4 with field with (identifiers name parameters coordinat4 locations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:05
36	8	( legacy near3 (comput\$4 systems) and (obtain\$4 access\$4 display\$4 interact\$4) same screen near4 field ) and updat\$4 same (config\$6 file table ) and stor\$4 with field with (identifiers name parameters coordinat4 locations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:07
37	85	"3270" near2 terminal and screen near5 (parameter field identifier id position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:22
38	12	("3270" near2 terminal and screen near5 (parameter field identifier id position) ) and (storage table file config\$6) with stor\$4 with (identif\$4 id parameters fields) and legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:10

39	9	5914713.URPN.	USPAT	2004/07/29 16:16
40	6	("3599158" "5036484" "5457797" "5530961" "5566330" "5673403").PN.	USPAT	2004/07/29 16:18
41	11	("3270" near2 terminal and screen near5 (parameter field identifier id position) ) and screen near5 scrap\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:22
42	1	6252591.URPN.	USPAT	2004/07/29 16:41
43	9	("5767851" "5812864" "5819067" "5884097" "5896522" "5911070" "5912669" "5923878" "6014702").PN.	USPAT	2004/07/29 16:42